

# **Jazzy**<sup>®</sup>

**POWER CHAIRS**



America's Favorite Power Chair



The Jazzy® Power Chair is consumer-inspired and engineered to provide you with consistent high-performance operation you can count on. With a full line of high-performing Jazzy Power Chair models available and many accessories and options to choose from, there's a Jazzy to meet your unique needs and lifestyle.

## What's Inside...

### Models:

Non-Coded.....4-7

PDAC-Coded....8-12

Accessories.....13

Innovative Technology.....13

Specifications.....14-15



## The Advantages of the Jazzy® Power Chair

*When choosing a Jazzy Power Chair, specific requirements and conditions can affect your process...*

### **Indoor Maneuverability**

Compact and mid-wheel design offer Jazzy's legendary maneuverability

### **Stability**

Active-Trac® ATX Suspension for enhanced performance and comfort over more varied terrain

### **Indoor/Outdoor Versatility**

Jazzy power chairs are great for your lifestyle, indoors and out

### **Increased Weight Capacity**

Most full-size power chairs offer increased weight capacities

### **Easy Portability**

Portable Jazzy models offer easy disassembly for convenient transport

### **Speed and Performance**

Mid-wheel drive, Active-Trac ATX Suspension for increased speed and performance

# Jazzy Air®



- 300 lb. weight capacity
- Speeds up to 4 mph non-elevated and 3.5 mph elevated with Extra Stability Technology
- Up to 15.29 miles with U-1 batteries and 18.4 miles w/40 Ah batteries per charge range
- Mid-Wheel 6® technology with Active-Trac® ATX Suspension
- Choice of 16" x 16"-18", 18" x 18"-20" and 20" x 20"-22" depth-adjustable, fold-flat, high-back reclining sport seat

## Available Colors:



Recipient of the 2016  
HME Innovative Retail  
Product Award



Front arm mount



Under arm mount

## Air Button

The **Air Button** allows you to experience 10" of power adjustable seat height while on the move, and can be mounted in multiple locations for easier access.

## Go Chair®

- #1 in portability
- 300 lb. weight capacity
- Faster speed up to 3.7 mph
- Up to 10.9 miles per charge range
- Dual swing-away, under seat storage bins
- One hand feather-touch disassembly
- Heaviest piece is only 36 lbs.



Go Chair®  
shown disassembled

### Available Colors:



Sapphire  
Blue



Ruby  
Red



Rose  
Quartz



Amber  
Orange



Citrine  
Yellow



Pearl  
White



### Storage

Dual, swing-away under seat compartments for convenient storage of personal items.



### Transport

Feather-touch disassembly for easy, lightweight travel options.

# Jazzy® Passport



- 250 lb. weight capacity
- A compact and lightweight design makes traveling a breeze
- Back seat pocket for extra storage while on-the-go
- Folds in just a few simple steps for effortless transport
- Includes convenient, under seat mesh storage bag, mesh cup holder and 40" lap belt
- Large foot platform to accommodate the user's comfort
- Specialty foam seat design for extreme comfort
- Speeds up to 3.6 mph
- Up to 9.6 miles per charge range

Available Color:



Pewter

## Simply Fold And Travel



This compact power chair folds in just a few simple steps for effortless transport. With convenient storage the Jazzy® Passport makes traveling a breeze.

*Folded Size*  
31" x 16" x 23.5"



## Jazzy® Sport 2

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 13 miles per charge range
- Front-wheel drive for enhanced maneuverability

Available Colors:



Jazzy  
Red



Jazzy  
Blue





## Jazzy® Elite ES-1

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 12 miles per charge range
- Front-wheel drive

Available Colors:



Candy  
Apple Red



Viper  
Blue



## Jazzy® Elite ES Portable

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 11 miles per charge range
- Easily disassembles into 5 pieces for convenient transport
- Front-wheel drive

Available Colors:



Candy  
Apple Red



Viper  
Blue



## Jazzy® Elite ES

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Front-wheel drive

Available Colors:



Candy  
Apple Red



Viper  
Blue



## Jazzy® Select Elite

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Front-wheel drive

Available Colors:



Jazzy  
Red



Jazzy  
Blue



## Jazzy® Select 6

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 15 miles per charge range
- Mid-wheel 6 technology with Active-Trac® ATX Suspension

Available Colors:



Jazzy  
Red



Jazzy  
Blue



## Jazzy® Elite 14

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 9.8 miles per charge range
- 14" drive wheels for enhanced outdoor performance

Available Colors:



Jazzy  
Red



Jazzy  
Blue



## Jazzy® 600 ES

- 300 lb. weight capacity
- Speeds up to 4 mph
- Up to 17 miles per charge range
- Mid-wheel 6 technology with Active-Trac® ATX Suspension

Available Colors:



Cardinal  
Red



## Jazzy® Elite HD

- 450 lb. weight capacity
- Speeds up to 4 mph
- Up to 9.8 miles per charge range
- Front-wheel drive

Available Colors:



Jazzy  
Red



Jazzy  
Blue





## Jazzy® 614HD

- 450 lb. weight capacity
- Speeds up to 4.25 mph
- Up to 11 miles per charge range
- Mid-wheel 6 technology with Active-Trac® ATX Suspension

Available Colors:



Candy  
Apple Red



Viper  
Blue

## Jazzy® 1450

- 600 lb. weight capacity
- Speeds up to 4.5 mph
- Up to 15.7 miles per charge range
- Aggressive front-wheel drive performance

Available Colors:



Candy  
Apple Red



Viper  
Blue



# Innovative Technology



Jazzy Air® features seating that elevates 10" in just 16 seconds to primary standing height, allowing exceptional access to your environment. Extra Stability Technology mechanically stabilizes the power base when elevated, creating ultimate security to safely drive up to 3.5 mph at walking height.

Mid-Wheel 6® technology with Active-Trac® ATX Suspension offers the highest levels of performance and maneuverability while easily and smoothly climbing transitions and obstacles. This patented technology allows the active front casters to both lift when climbing a threshold, while also dropping down for stability when descending.

In-line motor technology offers enhanced torque, battery range and reliability for the most dependable performance.

Consumer-inspired and real-world proven, Jazzy® offers innovative technologies you can count on.

## Accessories

A wide selection of accessories are available to personalize your Jazzy® and make it uniquely yours.



Cup Holder



Jazzy Weather Cover



Saddle Bag



XLR USB Charger



Rear Mount Cane/Crutch Holder



Walker Holder



Elevating Leg Rests



Cell Phone Holder



Swing Away Leg Rests



Heel Loops



Safety Flag



Swing-Away Joystick



Rear Basket



Oxygen Holder



Lap Belt (additional sizes)



Military Patches

DISCLAIMER: Not all accessories are available for all products. Please speak with your provider for details and availability.

# Specifications

	MODEL	Weight Capacity	Turning Radius <sup>1</sup>	Width <sup>1</sup>	Length <sup>1,2</sup>	Maximum Speed <sup>3</sup>	Ground Clearance <sup>1</sup>	Front Wheels	Drive Wheels	Rear Wheels	Drivetrain	Suspension Type	High-Back Seat (max. size)	High-Back Seat-to-Floor Range
NON-CODED	JAZZY AIR®	300 lbs.	22.5"	23.375"	38"	EL= Up to 3.5 mph NON-EL= Up to 4 mph	2.42"	6" solid casters	10"	6" solid casters	2-motor, in-line, MWD	Active-Trac® (ATX)	20"W x 20"-22"D	23"-33"
	GO-CHAIR	300 lbs.	25.5"	22.5"	28.5"	Up to 3.7 mph	2"	6" solid casters	9" solid	3" solid anti-tips	2-motor, RWD	Limited	N/A	N/A
	JAZZY® PASSPORT	250 lbs.	24.25"	23.5"	40"	Up to 3.6 mph	3"	8" solid casters	12" Pneumatic drive	N/A	2x 180W brushed motors	Limited	N/A	19"
	JAZZY® SPORT 2	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid casters	9"	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
PDAC CODED	JAZZY® ELITE ES-1	300 lbs.	23.5"	22.75"	34.75"	Up to 4 mph	0.75"	5" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® ELITE ES PORTABLE	300 lbs.	25.5"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® ELITE ES	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® SELECT ELITE	300 lbs.	24.75"	22.75"	34.75"	Up to 4 mph	1.5"	3" solid anti-tips	9" solid	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	21.5"-23.5"
	JAZZY® SELECT 6	300 lbs.	21.875"	23.5"	35.375"	Up to 4 mph	1.75"	6" solid casters	10" solid	6" solid casters	2-motor, in-line, MWD	Active-Trac® (ATX)	20"W x 20"D	21.5"-23.25"
	JAZZY® ELITE 14	300 lbs.	24"	24.25"	35.5"	Up to 4 mph	3"	3" solid anti-tips	14"	6" solid casters	2-motor, in-line, FWD	Limited	20"W x 20"D	20"-22"
	JAZZY® 600 ES	300 lbs.	20.5"	24.5"	35.5"	Up to 4 mph	2.75"	6" solid OMNI-casters	14"	6" solid OMNI-casters	2-motor, in-line, MWD	Active-Trac® (ATX)	20"W x 20"D	20.5"-22.5"
	JAZZY® ELITE HD	450 lbs.	24"	24.25"	35.5"	Up to 4 mph	3"	3" solid anti-tips	14" solid	6" solid casters	2-motor, in-line, FWD	Limited	24"W x 24"D	20"-22"
	JAZZY® 614 HD	450 lbs.	22.75"	25.25"	35.5"	Up to 4.25 mph	2.25"	6" solid casters	14"	6" solid casters	2-motor, in-line, MW6*	Active-Trac® (ATX)	24"W x 24"D	20.5"-23.5"
	JAZZY® 1450	600 lbs.	26.5"	29.25"	38.25"	Up to 4.5 mph	1.5"	4" solid anti-tips	14" solid	9" solid casters	2-motor, FWD	Swing Arm	32"W x 28"D	20.5"-22.5"

1 Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of + or - 3%. Dimensions listed are for power base only. Overall measurements will vary based on seating and accessory selections.

2 Without front riggings.

3 Varies with user weight, terrain, battery type, battery condition and tire pressure.

4 40A, PG 6-key VR2 required with Power Elevating Seat Option.

5 Does not include seat or battery weights.

6 Tested in accordance with ANSI/RESNA, WC Vol. 2, Section 4 and ISO 7176-4 standards. Results derived from theoretical calculations based on battery specifications and drive system performance. Testing conducted at maximum weight capacities. This specification can be subject to a variance of +10%, -5%.

7 Maximum weight capacity is reduced to 400 lbs. (181 kg) on 18" deep seat configurations.

8 Battery weight may vary based on manufacturer.

9 Seat weight included (because tools are required to remove seat). Battery weight not included.

10 Seat weight included. Does not disassemble.

Synergy® Seating	Synergy® Seat-to-Floor Range	Power Elevating Seat <sup>7</sup>	Standard Electronics	Battery Size (2 required)	Standard Battery Charger	Per-Charge Range <sup>3,6</sup>	Battery Weight <sup>9</sup>	Weight of Heaviest Piece <sup>5</sup>	Standard Seat Weight	Standard Seat Size	HCPCS Codes	
N/A	N/A	Std.	40A, PG VR2	12 V, U-1, 40 Ah (optional)	3.5A, off-board, or 5A, off-board (s)	Up to 15.3 miles (U-1), Up to 18.4 miles (40 Ah)	25 lbs. each (U-1), 32.2 lbs. each (40 Ah)	181 lbs. (with seat) <sup>9</sup>	41 lbs.	16" x 16" - 18", 18" x 18" - 20", 20" x 20" - 22"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	18 AH, 12V deep-cycle	2A, off-board	Up to 10.9 miles	14 lbs. each	36 lbs.	30 lbs. compact foldable	18" x 17"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	50A, PG VSI	24V 18Ah Lithium ion (Only 1 battery required)	2A, off-board	Up to 9.6 miles	7 lbs.	54 lbs. (unit doesn't disassemble) <sup>10</sup>	N/A	17.5" x 16.5"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 13 miles	25 lbs. each	69 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	K0899	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 12 miles	25 lbs. each	69 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 1: Std. (K0816)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 11 miles	25 lbs. each	48 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., Portable (K0820/K0821)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
N/A	N/A	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	69 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	17.25"-19.25"	N/A	40A, PG GC3	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	69 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	16.5"-18.5"	Optional	40A, PG GC3 <sup>4</sup>	12 V, U-1	3.5A, off-board	Up to 15 miles	25 lbs. each	100 lbs.	43 lbs. comfort high-bk.	16" x 16" - 18", 18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	15.75"-17.75"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 9.8 miles	37 lbs. each	99 lbs.	52 lbs. high-bk.	18" x 18" - 20", 20" x 18" - 20", 22" x 20" - 22"	Group 2: Std., (K0822/K0823)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
20"W x 20"D	17.25"-19.25"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 17 miles	37 lbs. each	124 lbs.	52 lbs. high-bk.	18" x 18" - 20", 20" x 18" - 20"	Group 2: Std., (K0822/K0823)	LIFETIME LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
24"W x 24"D	15.75"-17.75"	N/A	60A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 9.8 miles	37 lbs. each	99 lbs.	52 lbs. high-bk.	20" x 18" - 20", 22" x 20" - 22"	Group 2: Heavy Duty (K0824/K0825)	5-YR. LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
24"W x 24"D	17.75"-19.75"	N/A	50A, Dynamic Shark	12 V, NF-22	5A, off-board	Up to 11 miles	37 lbs.	122 lbs.	52 lbs. high-bk.	20" x 18" - 20", 22" x 20" - 22"	Group 2: Heavy Duty (K0824/K0825)	LIFETIME LIMITED: Frame 13 MO. LIMITED: electronics/drive motors
32"W x 28"D	17.25"-19.25"	N/A	90A, PG VR2	12 V, GROUP-24	8A, off-board	Up to 15.7 miles	52 lbs. each	195 lbs.	52 lbs. high-bk.	24" x 24"	Group 2: Very Heavy Duty (K0826/K0827), Single Power Very Heavy Duty (K0839)	K0826 / K0827 Models-LIFETIME LIMITED: Frame 13 MO. LIMITED: electronics/drive motors K0839 Model-LIFETIME LIMITED: Frame 2 YR. LIMITED: electronics 18 MO. LIMITED: drive motors

HCPCS codes provided should not be considered as legal advice and do not guarantee reimbursement. DME providers are responsible for determining appropriate billing codes when submitting for insurance reimbursement.

The information contained herein is correct at the time of publication. We reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or - 3%.



***Authorized Pride® Provider***

D E A L E R   S T A M P

(US) 800-800-8586 • (CAN) 888-570-1113 • [pridemobility.com](http://pridemobility.com) •    